

# JOK Collection




The JOK Collection is the smallest of our center pole telescopic line. These products are sturdy, resistant and extremely versatile. The rope and double pulley system make opening and closing a breeze. The design allows for non-removable furniture below and includes a double crown for telescopic opening. The JOK is best suited for small groupings of small tables or single table settings.






UMBRELLA FRAME	Center Pole	VALANCE	Available Upon Request (+5%)
SHAFT	Aluminum Ø 2.36" x 0.08" (5.99 x 0.20 cm)	VENT	Soft
NUMBER OF RIBS	8 Ribs	VENTS	-----
RIB MEASUREMENTS	Aluminum 1.38" x 0.79" x 0.08" (3.50 x 2 x 0.20 cm)	CANOPY TILT	-----
INTERNALLY REINFORCED	-----	CANOPY HEIGHT	Fixed
SIDE ARMS	-----	UMBRELLA ROTATION	360°
NUTS, BOLTS, SCREWS	Stainless Steel	CRANK	-----
ALUMINUM COATING	Powder Coating	EQUIPPED FOR SIDEWALL FITTING	Included
OPENING / CLOSING	Rope & Double Pulley System	LOGOS	Available Upon Request
RIB JOINTS	Nylon Triangle With Rivets	FABRIC & VELCRO GUTTERS	Available Upon Request
CANOPY	Sunbrella®	WEIGHT OF STRUCTURE W/ FABRIC	Approx. 44 lbs.

**structure** size range: 10' x 10' – Ø 16' 6" (304,8 x 304,8 – Ø 502.92 cm)

Approximate measures in cm on any bases or underground tube

MODEL	GENERAL MEASUREMENTS		DETAILED MEASUREMENTS			
			a	b	c	d
	GIK3030	10' 0" x 10' 0" 300 x 300	7' 10" 240	9' 6" 290	11' 6" 350	4' 7" 140
	GIK3535	11' 6" x 11' 6" 350 x 350	7' 10" 240	9' 10" 300	11' 10" 360	3' 11" 120
	GIK4040	13' 0" x 13' 0" 400 x 400	8' 4" 255	10' 6" 320	12' 2" 370	2' 11" 90
	GIK4545	15' 0" x 15' 0" 450 x 450	8' 6" 260	11' 2" 340	12' 6" 380	2' 7" 80
	GIK4030	13' 0" x 10' 0" 400 x 300	7' 10" 240	9' 6" 290	11' 6" 350	3' 3" 100
	GIK4535	15' 0" x 11' 6" 450 x 350	8' 6" 260	10' 6" 320	12' 2" 370	2' 9" 85
	GIKD35	Ø 11' 6" Ø 350	7' 10" 240	9' 4" 285	10' 10" 330	4' 11" 150
	GIKD40	Ø 13' 0" Ø 400	7' 10" 240	9' 8" 295	11' 8" 355	4' 11" 150
	GIKD45	Ø 15' 0" Ø 450	8' 0" 245	9' 10" 300	12' 6" 380	4' 7" 140
	GIKD50	Ø 16' 6" Ø 500	8' 2" 250	10' 0" 305	12' 10" 390	4' 7" 140



**bases**



**AB5050**  
Iron base 20"x20" (50x50cm)  
for bolt down  
(16 kg, 35 lbs).



**ATINR-J**  
Iron base tube for  
in-ground insertion  
(5 kg, 11 lbs).




**AR7070**  
Iron base 27"x27" (70x70cm), ready  
for 4 concrete weights (47 kg, 103 lbs).  
ACEM47  
Set of 4 concrete weights  
(Total 160 kg, 352 lbs).




**ACOP70-J (OPTIONAL)**  
Cover for weights  
and base (5 kg, 11 lbs).

**features**



NO furniture removal



Rotation

# ACCESSORIES



LED spotlight with joint

Watt	3
Volt	12



LED strip with rigid profile - cold light

cm.	50	100
in.	20"	40"
Watt	9	18
Volt	12	12



Wheel covered in rubber with brake\* Select models only



Pillow for coverbase in fabric or faux leather  
27"x27" or 35"x35"  
(70x70 cm or 90x90 cm)







Pillow for cover base in fabric or faux leather  
21"x46" (117x54 cm)



Nylon storage bag

## valance types





[www.poggesiusa.com](http://www.poggesiusa.com)

11550 Interchange Circle North - Miramar, FL 33025

1.786.558.2233 1-888 POGGESI