

# ONE Collection

This innovative and functional model is the result of careful technological research and design. Its single crank tilt and closing system is unique as is it efficient, allowing for multiple functions including 360° rotation and tilt adjustment of the canopy, and for non-removable furniture below. The ONE is designed for restaurants with strict furniture regulations, and Decks and Patios of any size.







UMBRELLA FRAME	Cantilever	VALANCE	Available Upon Request (+5%)
SHAFT	Aluminum 4.09" x 3.7" x 0.12" (10.38 x 9.39 x 0.30 cm)	VENT	Stiff - Raised
NUMBER OF RIBS	8 Ribs	VENTS	On Request
RIB MEASUREMENTS	Aluminum 1.18" x 0.79" x 0.08" (2.99 x 2 x 0.20 cm)	CANOPY TILT	Yes
INTERNALLY REINFORCED	-----	CANOPY HEIGHT	Fixed
SIDE ARMS	Aluminum 3.35" x 2.72" x 0.08" (8.50 x 6.90 x 0.20 cm)	UMBRELLA ROTATION	360°
NUTS, BOLTS, SCREWS	Stainless Steel	CRANK	Included
ALUMINUM COATING	Powder Coating	EQUIPPED FOR SIDEWALL FITTING	Available Upon Request
OPENING / CLOSING	One Winches w/ Cable & Endless Screw	LOGOS	Available Upon Request
RIB JOINTS	Nylon Triangle With Rivets	FABRIC & VELCRO GUTTERS	Available Upon Request
CANOPY	Sunbrella®	WEIGHT OF STRUCTURE W/ FABRIC	Approx. 77 lbs.

## structure size range: 8' x 8' - Ø 13' (243,84 x 243,84 - Ø 396,24)

Sizes related to pole position (x)

Approximate measures in cm without base or underground tube. On any base + 15 cm. On the base 25x25 + 7 cm

MODEL	GENERAL MEASUREMENTS			DETAILED MEASUREMENTS			
				a	b	c	d
	ONG2525	8' 0" x 8' 0"	250 x 250	0" -1	7' 1" 215	8' 11" 273	11' 6" 350
	ONG3030	10' 0" x 10' 0"	300 x 300	9" 23,5	7' 1" 215	9' 0" 275	11' 6" 350
	ONG3535	11' 6" x 11' 6"	350 x 350	1' 7" 49	7' 1" 215	9' 3" 283	11' 6" 350
	ONG3020	10' 0" x 6' 6"	300 x 200	-10" -26	7' 1" 215	9' 1" 276	11' 6" 350
	ONG3525	11' 6" x 8' 0"	350 x 250	0" -1	7' 1" 215	9' 3" 283	11' 6" 350
	ONG4030	13' 0" x 10' 0"	400 x 300	9" 23	7' 1" 215	9' 3" 281	11' 6" 350
	ONG4035	13' 0" x 11' 6"	400 x 350	1' 7" 49	7' 1" 215	9' 5" 288	11' 6" 350
	ONGD30	Ø 10' 0"	Ø 300	5" 12,5	7' 1" 215	9' 1" 278	11' 6" 350
	ONGD35	Ø 11' 6"	Ø 350	1' 2" 35,5	7' 1" 215	9' 3" 283	11' 6" 350
	ONGD40	Ø 13' 0"	Ø 400	1' 11" 59	7' 1" 215	9' 5" 288	11' 6" 350



## bases



**AB2525**  
Iron base 10"x10" (25x25cm)  
for bolt down (5 kg, 11 lbs).



**ATINS**  
Iron base tube for  
in-ground insertion  
(6 kg, 13 lbs).




**AB7070 / AB9090**  
Iron base 27"x27" (70x70cm) 35"x35" (90x90cm),  
ready for 4 concrete weights (47 kg, 103 lbs).  
ACEM47 / ACEM49  
Set of 4 concrete weights  
(ACEM47 - Total 160 kg, 352 lbs).  
(ACEM49 - Total 263 kg, 579 lbs).





**ACPO70 / ACPO90 (OPTIONAL)**  
cover base for bases (8 kg, 17 lbs).  
35"x35" (90x90cm) 27"x27" (70x70cm)

## features



NO furniture removal



Rotation

# ACCESSORIES



LED spotlight with joint

Watt	3
Volt	12



LED strip with rigid profile - cold light

cm.	50	100
in.	20"	40"
Watt	9	18
Volt	12	12



Wheel covered in rubber with brake\* Select models only



Pillow for coverbase in fabric or faux leather  
27"x27" or 35"x35"  
(70x70 cm or 90x90 cm)







Pillow for cover base in fabric or faux leather  
21"x46" (117x54 cm)



Nylon storage bag

## valance types





[www.poggesiusa.com](http://www.poggesiusa.com)

11550 Interchange Circle North - Miramar, FL 33025

1.786.558.2233 1-888 POGGESI